



सुदूरपश्चिम प्रदेश सरकार
भूमि व्यवस्था, कृषि तथा सहकारी मन्त्रालय
पशुपन्छी तथा मत्स्य विकास निर्देशनालय



पशुपन्छी तथा मत्स्य औजार यन्त्र उपकरणहरू अनुदानमा उपलब्ध गराउने बाट "दररेट सहितको शिलबन्दी प्रस्ताव" आव्हान सम्बन्धि सूचना

प्रथम पटक प्रकाशित मिति: २०८२/१२/२४

यस निर्देशनालयको आ.व. २०८२/०८३ को स्विचत कार्याक्रम अनुसारको कृषि यान्त्रीकरण अनुदान परिचालन कार्यविधि २०७६ प्रथम समोधन २०७७ अनुसार पशुपन्छी तथा मत्स्य प्रवर्द्धनका लागि यान्त्रिकरण सहयोग कार्यक्रम संचालन गर्न कार्यक्रम अन्तर्गत छनौट भएका कृषक, गमुह, महकारी र फर्म/कम्पनीहरूलाई अनुदानमा पशुपन्छी तथा मत्स्य औजार यन्त्र उपकरणहरू उपलब्ध गराउनु पर्ने भएकाले तपशिल अनुसारका पशुपन्छी तथा मत्स्य औजार यन्त्र उपकरणहरू के कति दर र मध्येमा आपूर्ति गर्न सकिने हो, सो सम्बन्धि शिलबन्दी प्रस्ताव पेश गर्न ईजाजत प्राप्त कृषि औजार यन्त्र उपकरण उत्पादक/ आपूर्तिकर्ता/फर्महरूले सुदूरपश्चिम प्रदेशको "कृषि यान्त्रीकरण अनुदान परिचालन (प्रथम संशोधन) कार्यविधि, २०७७" को अनुसूची-३ अनुसारको फारम भरी तथा यो सूचनामा उल्लेखित शर्तहरूको अधिनमा रही प्रथम पटक प्रकाशित सूचनाको मितिले ३१ औं दिनको १२.०० बजे भित्र र उक्त दिन सार्वजनिक बिदा पर्ने गणमा लागूतै कार्यालय खुलेको दिन सोही समय भित्र यस कार्यालयमा "दररेट सहितको शिलबन्दी प्रस्ताव" दर्ता गराउनु हुन यो सूचना प्रकाशित गरिएको छ । सूचना प्रकाशित भएको मितिले १०औं दिन (मिति २०८३/०१/०३) मा Pre Proposal Clarification Meeting हुनेछ साथै उक्त बैठक संचालन नभएमा पनि यस सूचनालाई कुनै बाधा पर्ने छैन ।

सामग्रीहरू (पशुपन्छी तथा मत्स्य औजार यन्त्र उपकरणहरू) को विवरण:

१. एरिएटर	२. फ्रिज	३. काउम्पाट, गोबर प्याक्ने हीच्यारो	४. च्याफ कटर	५. माछा मान्ने जाल	६. प्यालेट फिड मेसिन
७. एग इन्कुबेटर	८. मिल्क केन	९. फ्लोटिङ फिस फिड मेसिन	१०. खुवा बनाउने मेसिन	११. कोल्ड सोकेस (Cold Showcase)	१२. वाटर पम्प

आवश्यक शर्त तथा कागजातहरू:

१. दररेट सहितको शिलबन्दी प्रस्ताव पेश गर्दा निवेदन साथ फर्म दर्ता प्रमाण-पत्र, संस्था नविकरण प्रमाण पत्र वा कम्पनी भएमा कम्पनी रजिष्टरको कार्यालय बाट गरिने कम्पनी अद्यावधिक भएको पत्र, पछिल्लो ३ आ. व. को लेखा परिक्षण प्रतिवेदन, आ.व. २०८१/०८२ को करचुक्ता प्रमाण-पत्र वा आन्तरिक राजस्व कार्यालय बाट म्याद धप भएको पत्र, फर्मको व्यवसाय ईजाजत पत्र, मु. अ. कर दर्ता प्रमाण-पत्र (PAN वा VAT प्रमाण पत्र), अधिकारीक डिलर वा सर्भिस सेन्टरको संस्था दर्ता, र सम्झौता पत्रको प्रमाणित (नोटरी पब्लिकबाट) प्रतिलिपिहरू संलग्न राखी पेश गर्नु पर्नेछ ।
२. प्रस्ताव फारममा यन्त्र उपकरणको स्पेसिफिकेसन समेत खुलाई नेपाली रुपैयाँ प्रति ईकाइ मूल्यदर, अंक र अक्षरमा उल्लेख गर्नु पर्नेछ, अंक र अक्षरमा फरक परेमा अक्षरलाई मान्यता दिइनेछ ।
३. प्रस्ताव माथ औजार उपकरण उत्पादक कम्पनीको आधिकारीक विक्रेता तथा एजेन्ट (Authorized Agent)/डिलरसिप/ रहेको प्रमाण-पत्र पेश गर्नु पर्नेछ ।
४. पशुपन्छी तथा मत्स्य औजार उपकरणहरूको Specification, ब्रान्ड, मोडल, उत्पादक कम्पनी र देश खुल्ने Catalogue, Leaflet वा Brochure अनिवार्य रुपमा पेश गर्नु पर्नेछ ।
५. पेश भएका प्रस्तावहरू यो सूचना प्रथम पटक प्रकाशित भएको मितिले ३१ औं दिनको दिउसो २.०० बजे यस कार्यालयमा प्रस्तावदानी प्रतिनिधिहरूको रोडवरमा खोल्नेछ । तर प्रस्तावदानी प्रतिनिधिहरू उपस्थित नभए पनि प्रस्ताव खोल्न कुनै बाधा पर्ने छैन ।
६. यो सूचना बमोजिम यस एक आ.व. मा उपलब्ध गराउन सक्ने पशुपन्छी तथा मत्स्य औजार यन्त्र उपकरणहरूको कूल मूल्यको २.५% हुन आउने रकमको "क" वर्गको बालिग्य बैंक बाट जारी भई २०८३ श्रावण मसान्तसम्म म्याद भएको बैंक ग्यारन्टी वा सो बराबरको रकम नगद धरोटी, प्रदेश लेखा एकाइ कार्यालय, होटीको एकल धरोटी खाता ४१००१००२०२०३०००० मा पशुपन्छी तथा मत्स्य विकास निर्देशनालय, दिपायल, होटीको कार्यालय कोड ३१२०२७१०१७ जम्मा गरेको सकल बैंक औचर पेश गर्नु पर्नेछ ।
७. ग्राम प्रस्तावहरूको मूल्यांकन " कृषि यान्त्रीकरण अनुदान परिचालन (प्रथम संशोधन) कार्यविधि, २०७७" को आधारमा हुनेछ ।
८. सूचना प्रकाशित भई सकेपछि यदि कृषि यान्त्रीकरण अनुदान परिचालन (प्रथम संशोधन) कार्यविधि, २०७७ मा संशोधन तथा परिमार्जन भएमा सोही कार्यविधि बमोजिम कार्यक्रम संचालन गरिनेछ ।
९. प्रचलित कानून र शर्त अनुसार प्रस्ताव आंशिक वा पूर्ण रुपमा स्विचत वा अस्विचत गर्ने अधिकार यस कार्यालयमा रहनेछ ।
१०. अन्य कुरा प्रचलित कानून बमोजिम हुनेछ ।
११. आवश्यक अनुसूची फारम तथा कृषि यन्त्र उपकरणहरूको स्पेसिफिकेसन सम्बन्धि जानकारीका लागि यस कार्यालयको वेबसाइट <http://doldd.sudurpashchim.gov.np/> बाट डाउनलोड गर्न सकिनेछ ।

02192128
डा. विनोद बहादुर कठायत
नि. महानिर्देशक

1. Aerator

S. N	Name of Machines/ Equipment	Specification
A	2 Paddle	Rated : 1.5Kw
		Tilting Angle : 155
		No. of Paddle : 2
		Paddle Sped : 110RPM
		Paddle Length : 110cm
		Paddle Width : 25cm
		Power Efficiency : 2.2kg/kw.hr
		Motor : 2 hp 220v 50hz 1440 RPM
		Oxygen Transfer Rate : 2.3kg(O2)/hr
B	4 Paddle	Rated Power : 1.5 kw
		Tilting Angle : 155
		No. of Paddle : 4
		Paddle Speed : 140RPM
		Paddle Length : 110cm
		Paddle Width : 25cm
		Power Efficiency : 2.2kg/kw.hr
		Motor : 2 hp 220v 50hz 1440 RPM
		Oxygen Transfer Rate : 2.3kg(O2)/hr

2. Water Pump, Low Voltage Model

S. N	Name of Machines/ Equipment	Specification
A	Water Pump	Working Volatge (130V-240V) : POWER -Min.2H.P. . OUTLET - 3 INCH INLET- 3 INCH WITH BEND AND NIPPLE

3.SS 304 MILK CANS

S. N	Name of Machines/ Equipment	Specification
A	SS 304 MILK CAN 10L	SS 304 GRADE STAINLESS STEEL 0.8MM THK; SANITARY DESIGN; FULLY MACHINE MADE
B	SS 304 MILK CAN 20L	SS 304 GRADE STAINLESS STEEL 1.2MM THK; SANITARY DESIGN; FULLY MACHINE MADE
C	SS 304 MILK CAN 40L	SS 304 GRADE STAINLESS STEEL 1.2MM THK; SANITARY DESIGN; FULLY MACHINE MADE

4. COLD SHOWCASE

S. N	Name of Machines/ Equipment	Specification
A	COLD SHOWCASE 5FT CURVED MODEL	BUILT WITH DOUBLE ASSEMBLY TOUGHENED GLASS IN CURVED SHAPE. AIR COOLED COOLING WITH DEHUMIDIFIER SYSTEM; COMPRESSOR COOLING TO 4-6DEGREE CELSIUS; IN 5FT LENGTH; WITH DIGITAL CONTROLLING SYSTEM

5.KHOWA MACHINE

S. N	Name of Machines/ Equipment	Specification
A	60L BARREL CAPACITY	SS 304 BARREL 60L WITH LOADING 10L FOR KHOWA & 45L FOR MILK BOILING, TOTAL STAINLESS STEEL BODY; MOTOR POWER 0.5HP; BOTTOM PLATE MS 16MM THK WITH MACHINE TURNED; TEFLON BLADES WITH SPRING LOADED ADJUSTMENT SYSTEM; HEATING SYSTEM GAS BURNER SPECIAL MODEL
B	120L BARREL CAPACITY	SS 304 BARREL 120L WITH LOADING 20L FOR KHOWA & 90L FOR MILK BOILING, TOTAL STAINLESS STEEL BODY; MOTOR POWER 1HP; BOTTOM PLATE MS 16MM THK WITH MACHINE TURNED; TEFLON BLADES WITH SPRING LOADED ADJUSTMENT SYSTEM; HEATING SYSTEM GAS BURNER SPECIAL MODEL
C	180L BARREL CAPACITY	SS 304 BARREL 180L WITH LOADING 30L FOR KHOWA & 150L FOR MILK BOILING, TOTAL STAINLESS STEEL BODY; MOTOR POWER 1HP; BOTTOM PLATE MS 20MM THK WITH MACHINE TURNED; TEFLON BLADES WITH SPRING LOADED ADJUSTMENT SYSTEM; HEATING SYSTEM GAS BURNER SPECIAL MODEL

6. NORMAL CHAFF CUTTER FULLY COVERED WITH 3 H.P. MOTOR

(Signature)

(Signature)

डा. विनोद बहादुर कठायत
नि. महानिर्देशक

S. N	Name of Machines/ Equipment	Specification
A	Normal Chaff Cutter Fully Covered	ROLLER SIZE : 8 LENGTH X 3 DIM (Nos)
		NUMBER OF CUTTING BLADS : 2"
		SIZE OF CUTTING WHEEL : 30" , 32"
		GEAR SET : 15 Teeth
		OPERATOR TYPE : Only Motor
		POWER REQUIRED : 3hp S/P
		MOTOR PULLEY : 3"
		OUTPUT R.P.M. : 350
		UTPUT HER/HOUR : 500KG Approx
		SIZE OF OUTPUT CHEF (MM) : 10-12mm
		ROTATION DIRECTOR : Clock Wise
		MACHINE TOTAL WEIGHT : 130KG Approx With Motor
		SIZE OF MACHINE (L X B X H) : 42x18x50
		AXLE SHAFT FRONT BEARING : 6206 (1P)
		AXLE SHAFT BACK BEARING : 6205 (1P)
		BRACKET BEARING : 6005 (6P)
		MATERIAL USED (ROLLER BRACKET, GEAR WHEEL, MOTOR POULLEY : Cast Iron (CI)
		MATERIAL USED (ANGLE PATTI, PLATE, NUT BOLT AND GEAR BOX) : Mild Steel (MS)
		BLADE MATERIAL : High Carbon
		RUNNING OPERATION SYSTEM : From Motor To
B	Chaff Cutter	SIEVE SIZE - 0.8 MM, 3MM, 5MM, 10MM, ELECTRIC MOTOR - 3 H.P., NUMBER OF BLADES - 2, NUMBER OF MOVING HAMMER - 6, CHAFF CUTTER AND PULVERIZER, WORKING RPM 4000-5000 RPM

7. Deep Freezer ISO Certified

S. N	Name of Machines/ Equipment	Specification
A	260 LTR. APPROX.	GLASS SLIDING CHEST FREEZER, WORKING VOLTAGE 220 V, AUTO CUT SYSTEM, MINIMUM WARRANT 5 YEAR ON COMPRESSOR, 50 HZ, SINGLE PHASE
B	390 LTR. APPROX.	GLASS SLIDING CHEST FREEZER, WORKING VOLTAGE 220 V, AUTO CUT SYSTEM, MINIMUM WARRANT 5 YEAR ON COMPRESSOR, 50 HZ, SINGLE PHASE
C	490 LTR. APPROX.	GLASS SLIDING CHEST FREEZER, WORKING VOLTAGE 220 V, AUTO CUT SYSTEM, MINIMUM WARRANT 5 YEAR ON COMPRESSOR, 50 HZ, SINGLE PHASE

8. Mahajaal

S. N	Name of Machines/ Equipment	Specification
A	MAHAJAAL	MATERIAL - MADE OF NYLON AND MASHINO

9. Floating Feed Machine

S. N	Name of Machines/ Equipment	Specification
A	Floating Fish Feed Machine	7.5 HP power. With 1 HP Feeder motor & 0.5 HP Cutter Motor Output 70 Kg per hour. Floating time more than one hour to 6 hour VFD Drive with Heating Treatment. Pennel Board, Cutter System. 1 mm To 4 mm Die Set. Die any Three
B	Floating Fish Feed Machine	15 HP power. With 2 HP Feeder motor & 1 HP Cutter Motor Output 70 Kg per hour. Floating time more than one hour to 6 hour VFD Drive with Heating Treatment. Pennel Board, Cutter System. 1 mm To 4 mm Die Set. Die any Three
C	Floating FISH FEED MACHINE	1. Floating fish feed machine with Panel board, Heater, Sencer Board. Main Motor - 25 HP, 1440 RPM, 3 Phase 2. Feeding Motor - 2 HP, 1440 RPM, 3 Phase 3. Cutting Motor - 1 HP, 2800 RPM, 3 Phase 4. Control Panel: Customized make, Star /Delta connection, Volt meter & Ammeter Display, Temperature Control & Heat Sensor display, VFD Drive for Precision speed control of feeder motor, Over load protection, On-Off Indicator 5. R/Y/B Indicator. Relay range 17-25 Amp

Handwritten signature

Handwritten signature

डा. बिनोद बहादुर कठायत
महानिदेशक

		6.Die Any 3 of 1.8mm / 2mm / 3mm / 4mm /
		7.Cutter Blade
10. Pellet Feed Machine		
S. N	Name of Machines/ Equipment	Specification
A	PELLET FEED MACHINE	Animal Feed Machine 120 B (Manual Machine)In this you can manufacture poultry, Buffalo, sheep, goat feed, organic fertilizers. Etc. The specification of the machine is it contains 3 HP motor required Single phase connectionOutput 60 To 70 kg per hour
B	PELLET FEED MACHINE	Animal feed making machine (Model 150B) In this you can prepare cow, poultry, Buffalo, sheep, Goat feed, Sinking Fish feed etc. The specification of this machine is as follows 5.5 HP motor(With 1440 rpm), required 3 phase connection, Output will be approx Feed 130 to 150 kgs per hour.Height -31 inchWidth - 9.5 inchLength - 35 inchWeight -95 approx
C	PELLET FEED MACHINE	Animal feed making machine (Model 200 B) In this you can prepare cow, poultry, Buffalo, sheep, Goat feed, Sinking Fish feed etc. The specification of this machine is as follows 10 HP motor(With 1440 rpm), required 3 phase connection, Output will be approx Feed 250 to 300 kgs per hour.
D	PELLET FEED MACHINE	Animal Feed machine (manual plant.)In this you can manufacture, Cow, poultry, Buffalo, sheep, goat feed, organic fertilizers and Biomass pallet. Etc. The specification of the machine is it contains 20 HP motor (1440 rpm), required 3 phase connection. Cattle feed: Output will be approx Feed 500 to 600 kgs per hour.Organic Fertilizers: Output approx 300 to 400 kgs per hour. Depends on material.Height -41 inch , width - 15 inchLength- 53 inch. Weight- 350 kg approx.
E	PELLET FEED MACHINE	Animal Feed machine (manual plant.)In this you can manufacture, Cow, poultry, Buffalo, sheep, goat feed, organic fertilizers and Biomass pallet. Etc. The specification of the machine is it contains 30 HP motor (1440 rpm), required 3 phase connection, Cattle feed: Output will be approx Feed 700 to 1000 kgs per hour.Organic Fertilizers: Output approx 500 to 700 kgs per hour. Depends on material.
11. Egg Hatching Machine		
S. N	Name of Machines/ Equipment	Specification
A	Egg Hatching Machine	Machine capable of Hatching of eggs with at least 2 trays of capacity 50 eggs each, powered by both AC/DC source, Automatic Temperature and Humidity Control and egg trays turning synchronised and automatic cycle time control system.
12. Cow Mat and Wheel Barrow		
S. N	Name of Machines/ Equipment	Specification
A	Cow Mat	Size: at least 4x 6 FT and Thickness: at least 16 mm
B	Wheel Barrow	Made of Mild Steel iron with sheet thickness of at least 19 mm and a standard tyre in front for easy handling of the barrow

Kalyan

Bhaskar

डा. विनोद बहादुर कठायत
नि. महानिदेशक